AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A cleaning composition comprising:

(a) an anionic surfactant ~~component~~ and amine; and

(b) a water hardness anti-precipitant mixture comprising 0.5-1.5 wt% of a ~~dispersant~~maleic anhydride/olefin co-polymer and 0.001-10 wt % of ~~at least one of a sheeting agent, a humectant, or a mixture thereof~~EO-PO co-polymer at a weight ratio of the ~~dispersant~~ maleic anhydride/olefin co-polymer to total amount of the ~~sheeting agent, humectant, or mixture thereof~~ EO-PO co-polymer between about 1:75 and about 75:1, ~~wherein the sheeting agent comprises nonionic block copolymer, alcohol alkoxylate, alkyl polyglycoside, zwitterionic, or mixture thereof, and the humectant comprises glycerine, alkylene glycol, sorbitol, alkyl polyglycoside, polybetaine polysiloxane, or mixture thereof, and~~ wherein the amount of the water hardness anti-precipitant mixture to the anionic surfactant ~~component~~ and amine is sufficient to prevent visible precipitation when the cleaning composition is diluted with dilution water having one grain hardness at a weight ratio of 1:1.

2. (Cancelled)

3. (Currently Amended) A cleaning composition according to claim 1, wherein the amount of the water hardness anti-precipitant mixture to the anionic surfactant ~~component~~ and amine is sufficient to prevent visible precipitation when the cleaning composition is diluted with dilution water having 20 grain hardness at a weight ratio of 1:16.

4. (Cancelled)

5. (Currently Amended) A cleaning composition according to claim 1, wherein the cleaning composition contains between about 0.1 wt.% and about 10 wt. % of the anionic surfactant ~~component~~ and amine.

6-7. (Cancelled)

8. (Currently Amended) A cleaning composition according to claim 1, wherein the cleaning composition contains between about 0.01 wt.% and about 10 wt. % of the ~~dispersant~~ maleic anhydride/olefin co-polymer.

9. (Canceled)

10. (Currently Amended) A cleaning composition according to claim 1, wherein the cleaning composition comprises between about 0.001 wt. % and about 10 wt. % of the ~~sheeting agent and/or humectant~~ EO-PO co-polymer.

11. (Original) A cleaning composition according to claim 1, further comprising an organic solvent.

12. (Original) A cleaning composition according to claim 11, wherein the organic solvent comprises at least one of glycol ether and derivatives of glycol ether.

13. (Original) A cleaning composition according to claim 11, wherein the cleaning composition comprises between about 0.1 wt.% and about 99 wt.% of the organic solvent.

14. (Original) A cleaning composition according to claim 1, further comprising between about 0.1 wt.% and about 99 wt.% deionized water.

15. (Original) A cleaning composition according to claim 14, wherein the cleaning composition is provided as a use solution resulting from a dilution of the cleaning composition

with water of dilution at a weight ratio of cleaning composition to water of dilution of between about 1:1 and about 1:1000.

16. (Original) A cleaning composition according to claim 15, wherein the water of dilution comprises water having a hardness of at least about 1 grain.

17.-38. (Cancelled)

39. (Currently Amended) A cleaning composition comprising:

(a) an anionic surfactant ~~component~~ and amine; and

(b) a water hardness anti-precipitant mixture comprising ~~a dispersant~~ maleic anhydride/olefin co-polymer and at least ~~one of a sheeting agent and/or a humectant~~ EO-PO co-polymer at a weight ratio of the ~~dispersant~~ maleic anhydride/olefin co-polymer to the total amount of the ~~sheeting agent and the humectant~~ EO-PO co-polymer sufficient to prevent visible precipitation of the anionic surfactant and amine on a glass surface when the cleaning composition is diluted with water of dilution at a weight ratio of the cleaning composition to water of dilution of between about 1:1 and about 1:100 and wherein the water of dilution contains at least 5 grains hardness.